



Product Data Sheet for WYPALL* L10 EXTRA Wipers - Roll Control / Blue - 7493

				Product I	nformation			
Product Long Code Customer Facing Code Description PDS Reference		07493020 7493 WYPALL* L 12/10/2018	7493 WYPALL* L10 EXTRA Wipers - Roll Control / Blue					
			Ρ	ackaging	Configuratio	n		
Case Content Outer Pack M	-	6 Rolls x 52 Low Density			0 Sheets			
lcon	Unit		C	Dimension				Weight(kg)
	Roll	18.50	х	20.00		Height x D	iameter(cm)	
\sim	Sheet	38.00	х	18.50		Length x	Width(cm)	
				Dueslusstef	Description			
cleaning tasks. polishing glass, from start to fin value you would	The WypAll [*] L , cleaning surfa ish without fall d expect from a	10 Extra Wiper aces & tools. Th ing apart and at a limited life wip	Cent he un osorb ber, b	refeed Roll (hique Airflex* hent enough ut with excer	Control 7493 is base sheet te to clean up the otional strength	the ideal solution chnology is stroop most spills with and absorben	n ease. These w	ity wiping, e any job through ipers come at the wer wipers used
cleaning tasks. polishing glass, from start to fin value you would and less money food processing	The WypAll [*] L , cleaning surfa ish without fall d expect from a y spent. Delive g areas, petrol	10 Extra Wiper aces & tools. Th ing apart and at a limited life wip red in anCentre stations and an	Cent he un osorb oer, b efeed iywhe	refeed Roll C ique Airflex* eent enough ut with excep Roll Control ere requiring	Control 7493 is base sheet te to clean up the ptional strength System, a qui fast, easy and	the ideal solution chnology is struct most spills with and absorben ck loading, easy hygienic access	on for medium du ong enough to se n ease. These w cy resulting in fev	Ity wiping, e any job through ipers come at the ver wipers used r that is perfect for ridual sheet size
cleaning tasks. polishing glass, from start to fini value you would and less money food processing 38cm (L) x 18.5	The WypAll [*] L , cleaning surfa ish without fall d expect from a y spent. Delive g areas, petrol	10 Extra Wiper aces & tools. Th ing apart and at a limited life wip red in anCentre stations and an	Cent he un osorb oer, b efeed iywhe	refeed Roll C nique Airflex* eent enough ut with excep Roll Control ere requiring JS* Wiper Di	Control 7493 is base sheet te to clean up the ptional strength System, a qui fast, easy and	the ideal solution chnology is struct most spills with and absorben ck loading, easy hygienic access	on for medium du ong enough to se n ease. These w cy resulting in fev y-clean dispense is to wipers. Indiv	Ity wiping, e any job through ipers come at the ver wipers used r that is perfect for ridual sheet size
cleaning tasks. polishing glass, from start to fini value you would and less money food processing 38cm (L) x 18.5 (3,150 total)	The WypAll [*] L , cleaning surfa ish without fall d expect from a y spent. Delive g areas, petrol 5cm (W).Comp 525 blue, 1 ply	10 Extra Wiper aces & tools. Thing apart and at a limited life wip red in anCentre stations and an atible with AQU	Cent he un osorb ber, b efeed nywhe JARIL	refeed Roll C hique Airflex* bent enough ut with excep Roll Control ere requiring JS* Wiper Di Product Ideal for me	Control 7493 is base sheet te to clean up the ptional strength System, a qui fast, easy and ispenser (prod Features dium duty wipi shing glass, clear	the ideal solution chnology is stroch most spills with and absorben ck loading, easy hygienic access uct code 7018).	on for medium du ong enough to se n ease. These w cy resulting in fev y-clean dispense is to wipers. Indiv 6 rolls x 525 she Airflex* base s strong enough through from s without falling	Ity wiping, e any job through ipers come at the ver wipers used r that is perfect for idual sheet size eets, 1 ply, blue heet technology is to see any job tart to finish apart and ugh to clean up
cleaning tasks. polishing glass, from start to fini value you would and less money food processing 38cm (L) x 18.5 (3,150 total) • 6 rolls x 5	The WypAll [*] L , cleaning surfa ish without fall d expect from a y spent. Delive g areas, petrol 5cm (W).Comp 525 blue, 1 ply tal)	10 Extra Wiper aces & tools. Thing apart and at a limited life wip red in anCentre stations and an atible with AQU	Cent he un osorb ber, b ifeed yywhe JARIU	refeed Roll C ique Airflex* ent enough ut with excep Roll Control ere requiring JS* Wiper Di Product Ideal for me such as poli surfaces and Compatible	Control 7493 is base sheet te to clean up the ptional strength System, a qui fast, easy and ispenser (prod Features dium duty wipi shing glass, clear	the ideal solution chnology is strong most spills with and absorbenick loading, easy hygienic access uct code 7018).	Airflex* base s strong enough for medium du ong enough to se rease. These w cy resulting in fev y-clean dispense s to wipers. Indiv 6 rolls x 525 she Airflex* base s strong enough through from s without falling absorbent eno the most spills	Ity wiping, e any job through ipers come at the ver wipers used r that is perfect for idual sheet size eets, 1 ply, blue heet technology is to see any job tart to finish apart and ugh to clean up
cleaning tasks. polishing glass, from start to fini value you would and less money food processing 38cm (L) x 18.5 (3,150 total) • 6 rolls x 5 (3,150 tot	The WypAll [*] L , cleaning surfa ish without fall d expect from a y spent. Delive g areas, petrol 5cm (W).Comp 525 blue, 1 ply tal)	10 Extra Wiper aces & tools. Thing apart and at a limited life wip red in anCentre stations and an atible with AQU	Cent he un osorb ber, b ifeed ywhe JARIU	refeed Roll C ique Airflex* ent enough ut with excep Roll Control ere requiring JS* Wiper Di Product Ideal for me such as poli surfaces and Compatible Wiper Dispe 7018).	Control 7493 is base sheet te to clean up the ptional strength System, a qui fast, easy and ispenser (prod Features dium duty wipi shing glass, cle d tools with AQUARIL	the ideal solution chnology is strong most spills with and absorbenick loading, easy hygienic access uct code 7018).	Airflex* base s strong enough for medium du ong enough to se rease. These w cy resulting in fev y-clean dispense s to wipers. Indiv 6 rolls x 525 she Airflex* base s strong enough through from s without falling absorbent eno the most spills	ity wiping, e any job through ipers come at the wer wipers used r that is perfect for ridual sheet size eets, 1 ply, blue heet technology is to see any job tart to finish apart and ugh to clean up with ease.
cleaning tasks. polishing glass, from start to fini value you would and less money food processing 38cm (L) x 18.5 (3,150 total) • 6 rolls x 5 (3,150 tot	The WypAll [*] L , cleaning surfa ish without fall d expect from a y spent. Delive g areas, petrol 5cm (W).Comp 525 blue, 1 ply tal)	10 Extra Wiper aces & tools. Thing apart and at a limited life wip red in anCentre stations and an atible with AQU sheets	Cent he un osorb ber, b ifeed ywhe IARIU	refeed Roll C ique Airflex* ent enough ut with excep Roll Control ere requiring JS* Wiper Di Product Ideal for me such as poli surfaces and Compatible Wiper Dispe 7018).	Control 7493 is base sheet te to clean up the ptional strength System, a qui fast, easy and ispenser (prod Features dium duty wipi shing glass, cle d tools with AQUARIL	the ideal solution chnology is strong most spills with and absorbenick loading, easy hygienic access uct code 7018).	Airflex* base s strong enough for medium du ong enough to se rease. These w cy resulting in fev y-clean dispense s to wipers. Indiv 6 rolls x 525 she Airflex* base s strong enough through from s without falling absorbent eno the most spills	ity wiping, e any job through ipers come at the wer wipers used r that is perfect fo ridual sheet size eets, 1 ply, blue heet technology is to see any job tart to finish apart and ugh to clean up with ease.
cleaning tasks. polishing glass, from start to fini value you would and less money food processing 38cm (L) x 18.5 (3,150 total) • 6 rolls x 5 (3,150 tot • Single us	The WypAll [*] L , cleaning surfa ish without fall d expect from a y spent. Delive g areas, petrol 5cm (W).Comp 525 blue, 1 ply tal)	10 Extra Wiper aces & tools. Thing apart and at a limited life wip red in anCentre stations and an atible with AQU sheets	Cent he un osorb ber, b ifeed ywhe IARIU	refeed Roll C ique Airflex* bent enough ut with excep Roll Control ere requiring JS* Wiper Di Product Ideal for me such as poli surfaces and Compatible Wiper Dispe 7018).	Control 7493 is base sheet te to clean up the ptional strength System, a qui fast, easy and ispenser (prod Features dium duty wipi shing glass, cle d tools with AQUARIL enser (product becifications	the ideal solution chnology is stroop most spills with a and absorben ck loading, easy hygienic access uct code 7018). ng, • eaning	on for medium du ong enough to see n ease. These w cy resulting in few y-clean dispense is to wipers. Indiv 6 rolls x 525 she Airflex* base s strong enough through from s without falling absorbent eno the most spills Centrefeed Ro	ity wiping, e any job through ipers come at the wer wipers used r that is perfect fo ridual sheet size eets, 1 ply, blue heet technology is to see any job tart to finish apart and ugh to clean up with ease.
cleaning tasks. polishing glass, from start to finivalue you would and less money food processing 38cm (L) x 18.5 (3,150 total) • 6 rolls x 5 (3,150 tot • Single us	The WypAll [*] L , cleaning surfa ish without fall d expect from a y spent. Delive g areas, petrol 5cm (W).Comp 525 blue, 1 ply tal) e wipe	10 Extra Wiper aces & tools. Thing apart and at a limited life wip red in anCentre stations and an batible with AQU sheets Cen 1	Cent he un posorb ber, b ifeed ywhe IARIU	refeed Roll C ique Airflex* bent enough ut with excep Roll Control ere requiring JS* Wiper Di Product Ideal for me such as poli surfaces and Compatible Wiper Dispe 7018).	Control 7493 is base sheet te to clean up the ptional strength System, a qui fast, easy and ispenser (prod Features dium duty wipi shing glass, cle d tools with AQUARIL enser (product becifications Core Size (d	the ideal solution chnology is strong most spills with and absorbenick loading, easy hygienic access uct code 7018).	on for medium du ong enough to see n ease. These w cy resulting in few y-clean dispense is to wipers. Indiv 6 rolls x 525 she Airflex* base s strong enough through from s without falling absorbent eno the most spills Centrefeed Ro 6 No	ity wiping, e any job through ipers come at the wer wipers used r that is perfect fo ridual sheet size eets, 1 ply, blue heet technology is to see any job tart to finish apart and ugh to clean up with ease.
cleaning tasks. polishing glass, from start to fini value you would and less money food processing 38cm (L) x 18.5 (3,150 total) • 6 rolls x 5 (3,150 total) • Single us Roll Type Plies	The WypAll [*] L , cleaning surfa ish without fall d expect from a y spent. Delive g areas, petrol 5cm (W).Comp 525 blue, 1 ply tal) e wipe	10 Extra Wiper aces & tools. Thing apart and at a limited life wip red in anCentre stations and an batible with AQU sheets Cen 1	Cent he un posorb ber, b ifeed ywhe IARIU	refeed Roll C ique Airflex* bent enough ut with excep Roll Control ere requiring JS* Wiper Di Product Ideal for me such as poli surfaces and Compatible Wiper Dispe 7018). Product Sp eed Roll	Control 7493 is base sheet te to clean up the ptional strength System, a qui fast, easy and ispenser (prod Features dium duty wipi shing glass, cle d tools with AQUARIL enser (product Decifications Core Size (or Perforated	the ideal solution chnology is stro most spills with a and absorben ck loading, easy hygienic access uct code 7018). ng, eaning IS* code	on for medium du ong enough to see n ease. These w cy resulting in few y-clean dispense is to wipers. Indiv 6 rolls x 525 she Airflex* base s strong enough through from s without falling absorbent eno the most spills Centrefeed Ro 6 No	Ity wiping, e any job through ipers come at the wer wipers used r that is perfect fo ridual sheet size eets, 1 ply, blue heet technology is to see any job tart to finish apart and ugh to clean up with ease. Il Control format
cleaning tasks. polishing glass, from start to fini value you would and less money food processing 38cm (L) x 18.5 (3,150 total) • 6 rolls x 5 (3,150 tot • Single us Roll Type Plies Bar Code (Cas	The WypAll [*] L , cleaning surfa ish without fall d expect from a y spent. Delive g areas, petrol 5cm (W).Comp 525 blue, 1 ply tal) e wipe	10 Extra Wiper aces & tools. Thing apart and at a limited life wip red in anCentre stations and an atible with AQU sheets Cen 1 050. 88 Eler	Cent he un posorb ber, b ifeed ywhe JARIU • • • • • • • • • •	refeed Roll C ique Airflex* ent enough ut with excep Roll Control ere requiring JS* Wiper Di Product Ideal for mer such as poli surfaces and Compatible Wiper Dispe 7018). Product Sp eed Roll 5043611	Control 7493 is base sheet te to clean up the ptional strength System, a qui fast, easy and ispenser (prod Features dium duty wipi shing glass, cle d tools with AQUARIL enser (product Decifications Core Size (of Perforated Bar Code (F	the ideal solution choology is stroop most spills with a and absorben ck loading, easy hygienic access uct code 7018). ng, eaning (S* code (%)	Airflex* base s strong enough to see on ease. These w cy resulting in few y-clean dispense is to wipers. Indiv 6 rolls x 525 she Airflex* base s strong enough through from s without falling absorbent eno the most spills Centrefeed Ro 6 No 503384	Ity wiping, e any job through ipers come at the wer wipers used r that is perfect for idual sheet size eets, 1 ply, blue heet technology is to see any job tart to finish apart and ugh to clean up with ease. Il Control format
cleaning tasks. polishing glass, from start to finivalue you would and less money food processing 38cm (L) x 18.5 (3,150 total) • 6 rolls x 5 (3,150 total) • Single us Roll Type Plies Bar Code (Cas Recycled Fibre	The WypAll [*] L , cleaning surfa ish without fall d expect from a y spent. Delive g areas, petrol 5cm (W).Comp 525 blue, 1 ply tal) e wipe	10 Extra Wiper aces & tools. Thing apart and at a limited life wip red in anCentre stations and an batible with AQU sheets Cen 1 050 88 Eler Chk (EC	Cent he un posorb ber, b ifeed ywhe JARIU • • • • • • • • • •	refeed Roll C ique Airflex* eent enough ut with excep Roll Control ere requiring JS* Wiper Di Product Ideal for me such as poli surfaces and Compatible Wiper Dispe 7018). Product Sp eed Roll 5043611 al	Control 7493 is base sheet te to clean up the ptional strength System, a qui fast, easy and ispenser (prod Features dium duty wipi shing glass, cle d tools with AQUARIL enser (product Decifications Core Size (of Perforated Bar Code (F Virgin Fibre Embossing	the ideal solution choology is stroop most spills with a and absorben ck loading, easy hygienic access uct code 7018). ng, eaning (S* code (%)	on for medium du ong enough to see n ease. These w cy resulting in few y-clean dispense is to wipers. Indiv 6 rolls x 525 she Airflex* base s strong enough through from s without falling absorbent eno the most spills Centrefeed Ro 6 No 503384 12 No	Ity wiping, e any job through ipers come at the wer wipers used r that is perfect fo ridual sheet size eets, 1 ply, blue heet technology is to see any job tart to finish apart and ugh to clean up with ease. Il Control format

Product Data Sheet for WYPALL* L10 EXTRA Wipers - Roll Control / Blue - 7493

International Standards and Symbols

Solution Healthier Workplace The HEALTHY WORKPLACE PROJECT* is a comprehensive office hygiene programme which helps engage employees and reduce sickness. Efficient Workplace Helps drive continuous improvement in operational efficiency, safety and occupational health for Automotive, Aerospace and Metal Manufacturing industries. Food Contact Regulations This product is suitable for food contact and complies with Regulation (EC) No. 1935/2004. Furthermore, Initie rubber gloves comply with Regulation (EC) No. 1935/2004. Furthermore, Initie rubber gloves comply with Regulation (EC) No. 1935/2004. Furthermore, Initie rubber gloves comply with Regulation (EC) No. 1935/2004. Furthermore, Initie rubber gloves comply with Regulation (EC) No. 1935/2004. Furthermore, Initie rubber gloves comply with Regulation, BR No. XXV. and paper products comply with German Recommendation. BR No. XXV. No. XXVI. AIRFLEX* Technology Iso 14001 Iso 14001 is an International environmental standard. Designed to help organisations ensure that operations comply with environmental lave, and rub control is easily qualify trequirements and to enhance customer satisfaction in supplier-customer relationships. ISO 14001 The European Ecolabel scheme encourages businesses to market products and services that are kinder to the environment. Only products and services that are kinder to the environment. Only products that meet stind environmental standards are entitled to use the Ecolabel acceditation. ISO 1800 The European Ecolabel scheme encourages businesses to market products and services that are kinder to the environment. Only products that meet stind environmental standards are entited to use the Ecolabel acceditat		Intern	ational Standards and	i Symbols			
Healthier Workplace hygiene programme which helps engage employees and reduce sickness. Efficient Workplace Helps drive continuous improvement in operational efficiency, safety and occupational heath for Automotive, Aerospace and Metal Manufacturing industries. Food Contact Regulation Standard R+E Food Contact Regulation This product is suitable for food contact and comples with Regulation (EC) No. 1935/2004. Furthermore, initire rubber gloves comply with Regulation (EC) No. 102/011 and German Recommendation, BIR No. XXV. AurFLEX* AIRFLEX* AIRFLEX* Trade Iso 14001 is an international environmental standard. Designed to help organisations ensure that operations comply with environmental laws. and reduce standard for providing assurance about the ability requirements and to enhance customer satisfaction in supplier-customer relationships. Regulation (EC) No 66/2010 The European Ecolabel scheme encourages businesses to market products and services that are kinder to the environment. Only products that meet strict environmental standards are entitled to use the Ecolabel accreditation. Unit Of Sale Case Net Weight(kg) 5.202 Max Weight(kg) 5.37 Case Dimension (LYWH)(Em) 60 × 40 × 18.5			Solution				
Efficient Workplace and accupational heath for Automotive, Aerospace and Metal Manufacturing industries. Efficient Workplace Standard R+E Food Contact Regulations This product is suitable for food contact and complies with Regulation (EC) No. 1935/2004. Furthermore, nitrile rubber gioves comply with Regulation (EC) No. 1935/2004. Furthermore, nitrile rubber gioves comply with Regulation (EC) No. 1935/2004. Furthermore, nitrile rubber gioves comply with Regulation (EC) No. 1935/2004. Furthermore, nitrile rubber gioves comply with Regulation (EC) No. 1935/2004. Furthermore, nitrile rubber gioves comply with Regulation (EC) No. 1935/2004. Furthermore, nitrile rubber gioves comply with Regulation (EC) No. 1935/2004. Furthermore, nitrile rubber gioves comply with Regulation (EC) No. 1935/2004. Furthermore, nitrile rubber gioves comply with environmental istandard. Designed to the log organisations ensure that operations comply with environmental lasts, and, major environmental rubber gioves and liabilities are properly identified, minimised and managed. Iso 14001 Iso nagior environmental rubber giobally implemented standard for providing assurance about the ability to satisfy quality requirements and to enhance customer satisfaction in supplier-customer relationships. Regulation (EC) No 66/2010 The European Ecolabel scheme encourages businesses to market products that meet strict environmental standards are entitled to use the Ecolabel accreditation. Unit Of Sale Case Net Weight(kg) 5.202 Max Weight(kg) 5.87 Case Net With Regulation (LWWWH)(cm) 60.240 x 18.5 Max Weight(kg) 5.	Healthier Workplace	hygiene pro	hygiene programme which helps engage employees and reduce				
Food Contact Regulation This product is suitable for food contact and complies with Regulation (EC) No. 1935/2004. Furthermore, nitrile rubber gioves comply with Regulation (EC) No. 1935/2004. Furthermore, nitrile rubber gioves comply with Regulation, BIR No. XXX i. AIRFLEX* Technology AIRFLEX* Iso 14001 Iso 14001 is an international environmental standard. Designed to help organisations ensure that operations comply with environmental taws, and; major environmental fisks and liabilities are properly identified, minimised and managed. Iso 14001 Iso 14001 is an international environmental standard. Designed to help organisations ensure that operations comply with environmental taws, and; major environmental fisks and liabilities are properly identified, minimised and managed. Iso 9001 This gives the requirements for quality management systems, is now triming established as the globabily implemented standard for providing assurance about the ability to satisfy quality requirements and to enhance customer satisfaction in supplier-customer relationships. Pregulation (EC) No 66/2010 of the European Parliament The European Ecolabel scheme encourages businesses to market products that meet strict environmental standards are entitled to use the Ecolabel accreditation. Unit Of Sale Case Net Weight(kg) 5.202 Aax Weight(kg) 5.87 Case Dimension (LXWXH)(cm) 60 x 40 x 18.5	Efficient Workplace	and occupa	ional heath for Automotive			fety	
Food Contact Regulations (EC) No. 1935/2004. Furthermore, nitrile rubber gloves comply with No. XXI, and paper products comply with German Recommendation, BfR No. XXVI. AIRFLEX* AIRFLEX* AIRFLEX' Technology ISO 14001 is an international environmental standard. Designed to help organisations ensure that operations comply with environmental laws, and; major environmental risks and liabilities are properly identified, minimised and managed. ISO 14001 ISO 14001 is an international environmental standard. Designed to help organisations ensure that operations comply with environmental laws, and; major environmental risks and liabilities are properly identified, minimised and managed. ISO 9001 This gives the requirements for quality management systems, is now firmily established as the globally implemented standard for providing assurance about the ability to satisfy quality requirements and to enhance customer satisfaction in supplier-customer relationships. Regulation (EC) No 66/2010 The European Ecolabel scheme encourages businesses to market products and services that are kinder to the environment. Only products that meet strict environmental standards are entitled to use the Ecolabel accreditation. Unit Of Sale Case Net Weight(kg) 5.202 Max Weight(kg) 5.87 Case Dimension (LXWXH)(cm) 60 x 40 x 18.5			Standard R+E				
AIRFLEX* Technology Irade Iso 14001 Iso 14001 is an international environmental standard. Designed to help organisations ensure that operations comply with environmental alway, and; major environmental standard sand isabilities are properly identified, minimised and managed. Iso 9001 This gives the requirements for quality management systems, is now firmly established as the globally implemented standard for providing assurance about the ability to satisfy quality requirements and to enhance customer satisfaction in supplier-customer relationships. Regulation (EC) No 66/2010 for the European Ecolabel scheme encourages businesses to market products and services that are kinder to the environment. Only oroducts that meet strict environmental standards are environment. Only oroducts and services that are kinder to the environment. Only oroducts that meet strict environmental standards are environment. Only oroducts that meet strict environmental standards are environment. Only oroducts that meet strict environmental standards are environment. Only oroducts that meet strict environmental standards are environment. Only oroducts that meet strict environmental standards are environment. Only oroducts that meet strict environmental standards are environment. Only and the Ecolabel accreditation. Unit Of Sale Case Net Weight(kg) 5.02 As Weight(kg) 5.37 Case Dimension (LXWXH)(cm) 60 x 40 x 18.5 Inter Pack Material	Food Contact Regula	ations (EC) No. 19 Regulation (XXI, and pa	35/2004. Furthermore, nit EC) No. 10/2011 and Ger	rile rubber gloves o man Recommenda	comply w tion, Bff	with R No.	
ISO 14001ISO 14001 is an international environmental standard. Designed to help organisations ensure that operations comply with environmental laws, and; major environmental risks and liabilities are properly identified, minimised and managed.ISO 9001This gives the requirements for quality management systems, is now firmly established as the globally implemented standard for providing assurance about the ability to satisfy quality requirements and to enhance customer satisfaction in supplier-customer relationships.Regulation (EC) No 66/2010 of the European ParliamentThe European Ecolabel scheme encourages businesses to market products and services that are kinder to the environment. Only products that meet strict environmental standards are entitled to use the Ecolabel accreditation.Unit Of SaleCase 5.87Net Weight(kg) Case Dimension (LXWXH)(cm)5.202 60 x 40 x 18.5Unit Of SaleCase 1.87Net Weight(kg) Case Dimension (LXWXH)(cm)5.202 60 x 40 x 18.5	AIRFLEX* Technolog						
ISO 14001help organisations ensure that operations comply with environmental laws, and; major environmental risks and liabilities are properly identified, minimised and managed.ISO 9001This gives the requirements for quality management systems, is now firmly established as the globally implemented standard for providing assurance about the ability to satisfy quality requirements and to enhance customer satisfaction in supplier-customer relationships.Regulation (EC) No 66/2010 of the European ParliamentThe European Ecolabel scheme encourages businesses to market products and services that are kinder to the environment. Only products that meet strict environmental standards are entitled to use the Ecolabel accreditation.Unit Of SaleCaseNet Weight(kg)5.202 60 x 40 x 18.5 (LXWXH)(cm)Unit Of SaleCaseNet Weight(kg)60 x 40 x 18.5 (LXWXH)(cm)Iner Pack MaterialPlasticInterview			Trade				
ISO 9001 firmly established as the globally implemented standard for providing assurance about the ability to satisfy quality requirements and to enhance customer satisfaction in supplier-customer relationships. Regulation (EC) No 66/2010 of the European Ecolabel scheme encourages businesses to market products and services that are kinder to the environment. Only products that meet strict environmental standards are entitled to use the Ecolabel accreditation. Unit Of Sale Case Net Weight(kg) 5.202 Max Weight(kg) 5.87 Case Dimension (LXWXH)(cm) 60 x 40 x 18.5 nner Pack Material Plastic Velocity Velocity	ISO 14001	help organis laws, and; n	ations ensure that operati najor environmental risks a	ons comply with er	vironme		
Regulation (EC) No 66/2010 of the European Parliament products and services that are kinder to the environment. Only products that meet strict environmental standards are entitled to use the Ecolabel accreditation. Packaging Jnit Of Sale Case Net Weight(kg) 5.202 Max Weight(kg) 5.87 Case Dimension (LXWXH)(cm) 60 x 40 x 18.5 nner Pack Material Plastic	ISO 9001	firmly establ assurance a	ished as the globally imple bout the ability to satisfy o	emented standard f uality requirements	or provies and to	ding	
Jnit Of SaleCaseNet Weight(kg)5.202Max Weight(kg)5.87Case Dimension (LXWXH)(cm)60 x 40 x 18.5nner Pack MaterialPlastic	Regulation (EC) No 66/2010products and services that are kinder to the environment. Onlyof the European Parliamentproducts that meet strict environmental standards are entitled to use						
Max Weight(kg) 5.87 Case Dimension (LXWXH)(cm) 60 x 40 x 18.5 Inner Pack Material Plastic			Packaging				
Max Weight(kg) 5.87 Case Dimension (LXWXH)(cm) 60 x 40 x 18.5 nner Pack Material Plastic	Init Of Sale			ubt(ka)	5 202		
(LXWXH)(cm) nner Pack Material Plastic							
		Plastic	(LXWXH)(cm)			
	Pallet Type	LxWxH (m)	Cases per Laver	Lavers per Pall	et	Cases per Pallet	
A2 1.20 x 1.00 x 1.26 5 6 30		. ,				-	

Produ	ict Data Sl			RA Wipers - Roll	Control /	
		Blue -	7493			
		Re	elated Products			
Product Code		C	Description		Recommen- dation	
		Fits Disp	enser			
7018	AQUARIUS* Wiper Dispenser - Roll Control / White					
7181	AQUARIUS* Wiper Dispenser - Roll Control / Grey					
			Information			
Kimberly-Clark information cor equipment is u would advise y	, does not accept any r ntained herein is as acc nder constant review a rou to contact INFOFAX	esponsibility for the incorrect choi urate as possible at the time of pi nd may change in the lifetime of th (if you have any queries concerni	ce or misuse of wipers shown in ublication, however errors may his brochure. Accordingly, the s ing the products shown or the s	rect choice of wipers for the task. The n this brochure. All care has been tak occur and legislation concerning pers pecifications for the products may be uitability of such products for the part National and Local environmental rec	ten to ensure that the sonal protective subject to change. We icular task.Always	
Infofax Deta	ils	infofax@kcc.com	Websites	www.kcprofessional.c	o.uk	
Customer Se	ervice Number	For more information plea	ase contact Customer Servi	ice during regular office hours-08	370 551 044	
Country of C	Drigin	FRANCE				