according to Regulation (EC) No. 1907/2006



BRILLANT ULTRA

WM 0715943 Order number: 0715943

Version 2.9 Revision Date 21.03.2024 Print Date 15.04.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : BRILLANT ULTRA UFI : 5PX1-50P5-D00T-RRDE

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Rinse aid

Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : Tana Chemie GmbH

Rheinallee 96 55120 Mainz

Telephone : +49613196403 Telefax : +4961319642414

E-mail address : Produktsicherheit@werner-mertz.com

Responsible/issuing person

Contact person : Product development / product safety

1.4 Emergency telephone number

112

Centru za kontrolu otrovanja u Zagrebu na tel. (01) 2348 342

+49(0)6131-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 H319: Causes serious eye irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

Precautionary statements : P102 Keep out of reach of children.

Prevention:

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face

protection.



BRILLANT ULTRA

WM 0715943 Order number: 0715943

Version 2.9 Revision Date 21.03.2024 Print Date 15.04.2024

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

Disposal:

P501 Dispose of container into the collection of

recyclables only when it is completely empty.

Safety data sheet available on request.

2.3 Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Fatty alcohol alkoxylate	111905-53-4	Eye Irrit. 2; H319 Acute Tox. 4; H302 Aquatic Chronic 3; H412	>= 10 - < 20
propan-2-ol	67-63-0 200-661-7 603-117-00-0 01-2119457558-25	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 (Central nervous system)	>= 1 - < 10
citric acid	77-92-9 201-069-1 01-2119457026-42	STOT SE 3; H335 Eye Irrit. 2; H319	>= 1 - < 10

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.

If symptoms persist, call a physician.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water. If symptoms persist, call a physician.

In case of eye contact : Protect unharmed eye.

If easy to do, remove contact lens, if worn.

Rinse immediately with plenty of water, also under the eyelids, for at

according to Regulation (EC) No. 1907/2006



BRILLANT ULTRA

WM 0715943 Order number: 0715943

Version 2.9 Revision Date 21.03.2024 Print Date 15.04.2024

least 15 minutes.

If eye irritation persists, consult a specialist.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Irritation

Risks : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : For specialist advice physicians should contact the Poisons

Information Service.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion products : No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment for :

firefighters

In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This must

not be discharged into drains.

Fire residues and contaminated fire extinguishing water must be

disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Ensure adequate ventilation.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Neutralize with chalk, alkali solution or ammonia.



BRILLANT ULTRA

WM 0715943 Order number: 0715943

Version 2.9 Revision Date 21.03.2024 Print Date 15.04.2024

Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the application

area

Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against fire

and explosion

Vapours may form explosive mixtures with air.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas

and containers

Store in original container. Store in cool place. Store at room

temperature in the original container.

Further information on storage

stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Rinse aid

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipment

Eye/face protection : If splashes are likely to occur, wear:

Tightly fitting safety goggles

Hand protection

according to Regulation (EC) No. 1907/2006



BRILLANT ULTRA

WM 0715943 Order number: 0715943

Version 2.9 Revision Date 21.03.2024 Print Date 15.04.2024

Material : For prolonged or repeated contact use protective gloves.

It is suggested the usage of chemical resistant gloves made of butyl

rubber or nitrile rubber category III according to EN 374.

As alternative, a different type of gloves might be used if,

accordingly to the recommendations of the producer, guarantee the

same level of protection.

Remarks : Take note of the information given by the producer concerning

permeability and break through times, and of special workplace

conditions (mechanical strain, duration of contact).

Skin and body protection : not required under normal use

Respiratory protection : Not required; except in case of aerosol formation.

Recommended Filter type:

ABEK-P3-filter

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : red

Odour : alcohol-like

Melting point/freezing point : No data available
Boiling point/boiling range : No data available
Flammability (solid, gas) : No data available

Flammability (liquids) : Not classified as supporting combustion according to the transport

regulations.

Lower explosion limit : Lower explosion limit

at 37,0 °C

Method: ISO 2719

Upper explosion limit : No data available

Flash point : 40 °C

according to Regulation (EC) No. 1907/2006



BRILLANT ULTRA

WM 0715943 Order number: 0715943

Version 2.9 Revision Date 21.03.2024 Print Date 15.04.2024

Ignition temperature : No data available

Decomposition temperature : No data available

pH : ca. 2,1, 100 %
 at 20 °C

Viscosity, dynamic : No data available
Viscosity, kinematic : No data available

Water solubility : soluble

Solubility in other solvents : No data available
Partition coefficient: noctanol/water : No data available

Vapour pressure : No data available

Density : ca. 1,010 g/cm3 at 20 °C

Relative density : No data available
Relative vapour density : No data available
Particle characteristics : No data available

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

No decomposition if used as directed.

10.4 Conditions to avoid

Conditions to avoid : Heat

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

according to Regulation (EC) No. 1907/2006



BRILLANT ULTRA

WM 0715943 Order number: 0715943

Version 2.9 Revision Date 21.03.2024 Print Date 15.04.2024

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Our company is strongly against animal testing.

Our company does not place any orders for animal testing for the finished product or the ingredients. However, as a result of EU legislation (REACH Regulation), the manufacturers of ingredients or EU importers are obliged to test ingredients with regard to their effects on human health and the environment before they are brought onto the market. Some of the tests made necessary by this took place decades ago.

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg

Method: Calculation method

Components:

Fatty alcohol alkoxylate

111905-53-4:

Acute oral toxicity : LD50 (Rat): > 300 - 2.000 mg/kg

propan-2-ol

67-63-0:

Acute oral toxicity : LD50 Oral (Rat): 5.840 mg/kg

Method: OECD Test Guideline 401

LD50 Oral (Rat): 4.570 mg/kg

LD50 Oral (Rat): 5.045 mg/kg

Acute inhalation toxicity : LC50 (Rat, female): 47,5 mg/l

Exposure time: 8 h

Method: OECD Test Guideline 403

LC50 (Rat): 72,6 mg/l Exposure time: 4 h

LC50 (Mouse): 27,2 mg/l Exposure time: 4 h

LC50 (Rat): 25 mg/l Exposure time: 6 h

Method: OECD Test Guideline 403

LC50 (Rat): 30 mg/l Exposure time: 4 h

LC50 (Rat): 10000 ppm Exposure time: 6 h

Acute dermal toxicity : LD50 (Rabbit): 12.800 mg/kg

Method: OECD Test Guideline 402

LD50 Dermal (Rabbit): 12.870 mg/kg Method: OECD Test Guideline 402

according to Regulation (EC) No. 1907/2006



BRILLANT ULTRA

WM 0715943 Order number: 0715943

Version 2.9 Revision Date 21.03.2024 Print Date 15.04.2024

LD50 Dermal (Rabbit): 13.900 mg/kg Method: OECD Test Guideline 402

LD50 Dermal (Rabbit): 13.400 mg/kg

citric acid

77-92-9:

Acute oral toxicity : LD50 Oral (Mouse): 5.400 mg/kg

Method: OECD Test Guideline 401

LD50 Oral (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402

Acute dermal toxicity : LD50 Dermal (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 402

Skin corrosion/irritation

Product:

Remarks : According to the classification criteria of the European Union, the

product is not considered as being a skin irritant.

Components:

propan-2-ol

67-63-0:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Product:

Remarks : Causes serious eye irritation.

Components:

propan-2-ol

67-63-0:

Species : Rabbit Result : irritating

citric acid

77-92-9:

Result : Eye irritation

Respiratory or skin sensitisation

Product:

Remarks : No data available

according to Regulation (EC) No. 1907/2006



BRILLANT ULTRA

WM 0715943 Order number: 0715943

Version 2.9 Revision Date 21.03.2024 Print Date 15.04.2024

Components:

propan-2-ol

67-63-0:

Test Type : Buehler Test Species : Guinea pig

Result : Does not cause skin sensitisation.

citric acid

77-92-9:

Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Germ cell mutagenicity : Not Rated

Components:

propan-2-ol

67-63-0:

Genotoxicity in vitro : Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Result: negative

Carcinogenicity : Not Rated

Reproductive toxicity : Not Rated

STOT - single exposure : The substance or mixture is not classified as specific target organ

toxicant, single exposure.

STOT - repeated exposure : The substance or mixture is not classified as specific target organ

toxicant, repeated exposure.

Repeated dose toxicity

Components:

citric acid

77-92-9:

Species : Rat

NOAEL : 4.000 mg/kg
LOAEL : 8.000 mg/kg
Application Pouts

Application Route : Oral Exposure time : 10 d

Aspiration toxicity : Not Rated

11.2 Information on other hazards

Further information

Product:

according to Regulation (EC) No. 1907/2006



BRILLANT ULTRA

WM 0715943 Order number: 0715943

Version 2.9 Revision Date 21.03.2024 Print Date 15.04.2024

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

Fatty alcohol alkoxylate

111905-53-4:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 1 - 10 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l

Exposure time: 48 h

Toxicity to microorganisms : EC10 (activated sludge): > 1.000 mg/l

propan-2-ol 67-63-0:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 1.400 mg/l

Exposure time: 96 h

LC50 (Pimephales promelas (fathead minnow)): 9.640 mg/l

Exposure time: 96 h

LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l

Exposure time: 48 h Test Type: static test

GLP: no

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 13.299 mg/l

Exposure time: 48 h Test Type: Immobilization

Method: OECD Test Guideline 202

EC50 (Daphnia magna (Water flea)): 9.714 mg/l

Exposure time: 24 h

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h Test Type: static test

GLP: no

(Daphnia (water flea)): > 10.000 mg/l Method: OECD Test Guideline 202

NOEC (Daphnia magna (Water flea)): 30 mg/l

Exposure time: 21 d

EC50 (Daphnia magna (Water flea)): 10.000 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic plants : IC50 (Desmodesmus subspicatus (green algae)): > 1.000 mg/l

Exposure time: 72 h

Test Type: Growth inhibition

according to Regulation (EC) No. 1907/2006



BRILLANT ULTRA

WM 0715943 Order number: 0715943

Version 2.9 Revision Date 21.03.2024 Print Date 15.04.2024

EC50 (Pseudokirchneriella subcapitata (microalgae)): > 100 mg/l

Exposure time: 72 h Test Type: static test

GLP: no

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1.000 mg/l

Exposure time: 72 h

EC50 (Scenedesmus subspicatus): > 100 mg/l

Exposure time: 72 h Test Type: static test

Toxicity to microorganisms : EC50 (Aliivibrio fischeri): 17.700 mg/l

Exposure time: 5 min

EC10 (Pseudomonas putida): 5.175 mg/l

Exposure time: 18 h Method: DIN 38412

citric acid

77-92-9:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 440 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1.535 mg/l

Exposure time: 24 h Test Type: static test

EC50 (Daphnia magna (Water flea)): ca. 120 mg/l

Exposure time: 72 h

Toxicity to algae/aquatic plants : NOEC (Scenedesmus quadricauda (Green algae)): 425 mg/l

Exposure time: 8 Days Test Type: static test

Toxicity to microorganisms : (Pseudomonas putida): > 10.000 mg/l

Exposure time: 16 h

12.2 Persistence and degradability

Components:

Fatty alcohol alkoxylate

111905-53-4:

Biodegradability : Result: rapidly biodegradable

Biodegradation: > 60 % Exposure time: 28 d Method: OECD 301 F

propan-2-ol

67-63-0:

Biodegradability : Result: rapidly biodegradable

Biodegradation: 95 % Exposure time: 21 d Method: OECD 301 E

according to Regulation (EC) No. 1907/2006



BRILLANT ULTRA

WM 0715943 Order number: 0715943

Version 2.9 Revision Date 21.03.2024 Print Date 15.04.2024

Inoculum: activated sludge Result: rapidly biodegradable Biodegradation: 53 % Exposure time: 5 d

Result: rapidly biodegradable Biodegradation: > 70 % Exposure time: 10 d

GLP: no

Biodegradation: 99,9 %

Method: see user defined free text

Chemical Oxygen Demand

(COD)

2,32 g/kg

ThOD : 2,40 g/g

citric acid

Biodegradability : Result: Readily biodegradable.

Biodegradation: 97 % Exposure time: 28 d Method: OECD 301 B

Result: Readily biodegradable. Biodegradation: 100 % Exposure time: 19 d Method: OECD 301 E

Biochemical Oxygen Demand

(BOD)

526 mg/g

Chemical Oxygen Demand

(COD)

728 mg/g

ThOD : 0,75 g/g

12.3 Bioaccumulative potential

Components:

propan-2-ol 67-63-0:

Bioaccumulation : Bioconcentration factor (BCF): 3

Remarks: No bioaccumulation is to be expected (log Pow <= 4).

Partition coefficient: n-

octanol/water

log Pow: 0,05

citric acid

77-92-9:

Bioaccumulation : Remarks: No bioaccumulation is to be expected (log Pow <= 4).

according to Regulation (EC) No. 1907/2006



BRILLANT ULTRA

WM 0715943 Order number: 0715943

Version 2.9 Revision Date 21.03.2024 Print Date 15.04.2024

12.4 Mobility in soil

Components:

propan-2-ol 67-63-0:

Distribution among : Koc: 25

environmental compartments Remarks: Highly mobile in soils

12.5 Results of PBT and vPvB assessment

Components:

Fatty alcohol alkoxylate

111905-53-4:

Assessment : This mixture contains no substance considered to be persistent,

bioaccumulating and toxic (PBT).. This mixture contains no

substance considered to be very persistent and very bioaccumulating

(vPvB).

propan-2-ol

67-63-0:

Assessment : This substance is not considered to be very persistent and very

bioaccumulating (vPvB).. This substance is not considered to be

persistent, bioaccumulating and toxic (PBT).

citric acid

77-92-9:

Assessment : This substance is not considered to be persistent, bioaccumulating

and toxic (PBT).. This substance is not considered to be very

persistent and very bioaccumulating (vPvB).

12.6 Endocrine disrupting properties

Components:

111905-53-4:

Assessment : The substance/mixture does not contain components considered to

have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with chemical or

used container.

In accordance with local and national regulations.

according to Regulation (EC) No. 1907/2006



BRILLANT ULTRA

WM 0715943 Order number: 0715943

Version 2.9 Revision Date 21.03.2024 Print Date 15.04.2024

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR

Not dangerous goods

RID

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADR

Not dangerous goods

RID

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.4 Packing group

ADR

Not dangerous goods

RID

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.5 Environmental hazards

ADR

Not dangerous goods

RID

Not dangerous goods

IMDG

Not regulated as a dangerous good

IATA

Not dangerous goods

14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

For personal protection see section 8.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

according to Regulation (EC) No. 1907/2006



BRILLANT ULTRA

WM 0715943 Order number: 0715943

Version 2.9 Revision Date 21.03.2024 Print Date 15.04.2024

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and

the Council concerning the export and import of dangerous

chemicals

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and

articles (Annex XVII)

Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

TA Luft List (Germany) : Total dust: Not applicable

Inorganic substances in powdered form: Not applicable

: Inorganic substances in vapour or gaseous form: : portionClass 3: <

: Not applicable

See Annex XVII to Regulation (EC) no

1907/2006 for Conditions of restriction

0,01 %

Organic Substances: : portionClass 1: 4,04 % Carcinogenic substances: Not applicable

: Mutagenic: Not applicable

: Toxic to reproduction: Not applicable

Volatile organic compounds

(VOC) content

Directive 2010/75/EU of 24 November 2010 on industrial emissions

(integrated pollution prevention and control)

Update: Percent volatile: 8,5 %

according to Detergents Regulation EC 648/2004 : 15 - <30% Non-ionic surfactants

15.2 Chemical safety assessment

SECTION 16: Other information

Full text of H-Statements

H225 : Highly flammable liquid and vapour.

H302 : Harmful if swallowed.

H319 : Causes serious eye irritation.
H335 : May cause respiratory irritation.
H336 : May cause drowsiness or dizziness.

H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Irrit. : Eye irritation Flam. Liq. : Flammable liquids

STOT SE : Specific target organ toxicity - single exposure

according to Regulation (EC) No. 1907/2006



BRILLANT ULTRA

WM 0715943 Order number: 0715943

Version 2.9 Revision Date 21.03.2024 Print Date 15.04.2024

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals: RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN -United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Classification procedure:

Eye Irrit. 2

H319

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG_EU / EN

500000005509