



COMFORT



FLAME
RETARDENT



SENSITIVITY

WELD- SOFT 53-847



CHARACTERISTICS

- Welding glove made from deer leather (0.6-0.8 mm)
- Five-fingered design
- Split leather cap
- Extremely supple glove with good fingertip sensitivity
- Ideally suited for TIG welding activities
- Kevlar thread stitching
- Ideally suited for very fine welding activities
- Free of Chromium VI

Article number: 1.53.847.10

SUITABLE FOR ACTIVITIES IN E.G.

- Industry
- Offshore
- Metal industry
- Shipbuilding

COLOUR

Yellow/natural

SIZES

10/XL

PACKAGING

- 12 pairs per bundle
- 60 pairs per outer box

EN388:2016



2112X

EN407:2004



412234

EN12477:2001
+A1:2005




Type B

CE 0493
EN 420:2003+A1:2009

PRODUCT INFORMATION

SIZE	ARTICLE NO.	EAN CODE 12 PAIRS (BUNDLE)	EAN CODE 60 PAIRS (OUTER BOX)
10/XL	1.53.847.10	8718249012648	8718249065972



CLARIFICATION OF PICTOGRAMS

EN388:2016



2112X

EN388:2016



ABCDEF

Protection against mechanical hazards

A = Scuff resistance (0-4)
B = Cut resistance (0-5)
C = Tear resistance (0-4)
D = Puncture resistance (0-4)
E = Cut resistance (in accordance with EN ISO 13977 (A to F))
F = Impact resistance (optional) (P = Passed)

EN407:2004



412234

EN407:2004



ABCDEF

Heat resistance

A = Flammability (0-4)
B = Contact heat (0-4)
C = Convection heat (0-4)
D = Radiation heat (0-4)
E = Small droplets of molten metal (0-4)
F = Large quantities of molten metal (0-4)

EN12477:2001
+A1:2005



Type B

EN12477:2001
+A1:2005



Type

Type A = for high-temperature welding activities (MIG/MAG)
Type B = for low-temperature welding activities (TIG)

STORAGE CONDITIONS

The gloves should be kept in a clean, cool and dry place and not kept compressed in their original packaging. Do not expose the gloves to direct sunlight. Make sure that the packaging and the gloves are not damaged during shipping.

TESTING INSTITUTE

These gloves are certified by: Centexbel (Notified Body no. 0493), Technologiepark 70, BE 9052 Ghent, Belgium.

DECLARATION OF CONFORMITY

For a copy of the declaration of conformity, we refer you to the following link: www.oxxa-safety.com/doc

YOUR SUPPLIER: