



New Design - High quality, touch screen function brand promotion price. 13 gauge, cut level D, PU.

KEY FEATURES

- New Design - High quality level D cut protection glove with great abrasion resistance.
- 10-finger touch screen functionality enables you to use all touch screen device on the jobs.
- Great flexibility and dexterity.
- More softer, comfortable and smooth than many normal quality cut D PU gloves in the market.
- Good to hide dirt.
- Brand promotion price.
- Individual pack available for retail shops.

PRODUCT DETAILS

Liner	Special yarns
Gauge	13
Coating	Polyurethane
Finishing	XTech
Colour	Black / Black
Size	7,8,9,10,11
Packing	12 pairs/pack, 144 pairs/carton
Tariff number	61161080

RECOMMENDED APPLICATIONS

General purpose or works with high cut hazard in dry conditions.

Such as handling parts with sharp or rough edges, assembly, inspection, packaging, metal sheet works, construction, general handling...



CERTIFICATION

 EN21420:2020


Category II

**EN388:2016 Mechanical protection:
levels obtained in laboratory tests**

Abrasion (min.0 to max. 4):

EN388:2016

4
X
4
3
D



4X43D

Blade cut - coupe test (Index) (min.0 to max. 5):

Tear (min.0 to max. 4):

Puncture (min.0 to max. 4):

Cut resistance from sharp objects EN ISO

13997:1999 (min. A to max. F, X - not tested):

Impact protection (P if pass, F if failed):

-

EN21420:2020 Dexterity (min.0 to max.5):
level 5.

STORAGE AND SHELF LIFE

Please store the products in original packing in a dry and cool place without direct sunlight in general.

The shelf life depends on the storage and other conditions. For the new product stored in a proper way, the shelf life of Xcellent 12-360 can normally be 5 years.

CLEANING

Washing or dry-cleaning requires prior consultation with a recognized specialist, because such treatment may alter the protective properties of the glove. The gloves must always be checked for integrity before reuse. The rating with the marked performance levels based on tests on unused gloves.

WARNING

Don't use in case of chemicals, moving machines or electrical risk.

Please ensure the products are strictly used within their protection levels.

